



FINAL LAB REPORT

City of Minot

32101257

30-Jun-2021

Prepared by

SGS NORTH AMERICA

Prepared for

City of Minot

Mark Paddock

P.O. Box 5006

Minot, ND 58702

Phone: 701-857-4761

Email: mark.paddock@minotnd.org

This report is approved by

Tamara Burkamper

tamara.burkamper@sgs.com

Project Manager

This document is issued by the Company under its General Conditions of Service accessible at https://www.sgs.com/en/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

SGS remains committed to serving you in the most effective manner. Should you have any questions or need additional information and technical support, please do not hesitate to contact us.

The management and staff of SGS welcomes customer feedback, both positive and negative, as we continually improve our services. Please visit our web site at www.sgs.com/ultratrace and click on the 'Email Us' link or go to our survey at https://www.surveymonkey.com/r/SGSAP_VoiceOfCustomer?sm=1fj7v53XMdpUSBSUahp2w%3d%3d. Thank you for choosing SGS.

Any holder of this document is advised that it is a final submission and supersedes and voids all prior reports with the same report or identification number. The information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility in conducting the work herein is to its Client and does not exonerate parties to a transaction from exercising all of their rights and obligations under such applicable transaction documents. This report may be reproduced in full only. The Company expressly disclaims any and all liability for the Client's use of or reliance upon the data contained herein. Any alteration, forgery or falsification of the content or appearance of this document which is not expressly authorized by the Company is unlawful and offenders may be prosecuted to the fullest extent of the law. Results reported relate only to the items tested.



SGS CERTIFICATIONS

Alaska	17-012
Arkansas	88-0682
California (ELAP)	ELAP Cert #2914
CLIA	34D1013708
Connecticut	PH-0258
USDA Soil Permit	P330-20-00103
American Association for Laboratory Accreditation (A2LA)	2726.01 (ISO 17025:2017, 2009 TNI, DoD ELAP QSM 5.3)
Florida DOH	E87634
Louisiana DEQ	4115
Louisiana DOH	LA031
Maine	2020019
Massachusetts	M-NC919
Michigan	9950
Minnesota (Primary NELAP For Method 23)	037-999-459
Montana	0106
New Hampshire (Primary NELAP)	2085
New Hampshire (Secondary NELAP)	2083
New Jersey	NC100
New York	11685
North Carolina DEQ	481
North Dakota	R-197
Oregon	NC200002
Pennsylvania	68-03675
South Carolina	99029002
Texas	T104704260
US Coast Guard	16714/159.317/SGS
Vermont	VT-87634
Virginia	460214
Washington	C913

Rev. 21-Oct-2020

Laboratory Qualifiers

Report Definitions

DL	Method, Instrument, or Estimated Detection Limit per Analytical Method
CL	Control Limits for the recovery result of a parameter
LOQ	Reporting Limit
DF	Dilution Factor
RPD	Relative Percent Difference
LCS(D)	Laboratory Control Spike (Duplicate)
MS(D)	Matrix Spike (Duplicate)
MB	Method Blank

Qualifier Definitions

*	Recovery or RPD outside of control limits
B	Analyte was detected in the Lab Method Blank at a level above the LOQ
U	Undetected (Reported as ND or < DL)
J	Estimated Concentration.
E	Amount detected is greater than the Upper Calibration Limit
TIC	Tentatively Identified Compound
ND	Not Detected
P	RPD > 40% between results of dual columns
D	Spike or surrogate was diluted out in order to achieve a parameter result within instrument calibration range

Samples requiring manual integrations for various congeners and/or standards are marked and dated by the analyst. A code definition is provided below:

M1	Mis-identified peak
M2	Software did not integrate peak
M3	Incorrect baseline construction (i.e. not all of peak included; two peaks integrated as one)
M4	Pattern integration required (i.e. DRO, GRO, PCB, Toxaphene and Technical Chlordane)
M5	Other - Explained in case narrative

Note Results pages that include a value for "Solids (%)" have been adjusted for moisture content.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
AF_FRB	32101257001	06/15/2021 11:26	06/16/2021 10:49	Drinking Water
AF	32101257002	06/15/2021 11:24	06/16/2021 10:49	Drinking Water
City_FRB	32101257003	06/15/2021 11:48	06/16/2021 10:49	Drinking Water
City	32101257004	06/15/2021 11:45	06/16/2021 10:49	Drinking Water

Detectable Results Summary

Client Sample ID: **AF**

Lab Sample ID: 32101257002-A

EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	
PFBS	0.840	ng/L	J
PFHxA	1.82	ng/L	J
PFHxS	1.66	ng/L	J

Client Sample ID: **City**

Lab Sample ID: 32101257004-A

EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	
PFHxA	1.37	ng/L	J
PFHxS	1.24	ng/L	J

Parameter Cross Reference

REGULAR

<u>PARAMETER</u>	<u>CASNO</u>	<u>FULL_NAME</u>
11CI-PF3OUdS	763051-92-9	11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid
9CI-PF3ONS	756426-58-1	9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid
HFPO-DA (GenX)	13252-13-6	Hexafluoropropylene oxide dimer acid
NaDONA	919005-14-4	4,8-dioxa-3H-perfluorononanoic acid
NEtFOSAA	2991-50-6	N-ethyl perfluorooctanesulfonamidoacetic acid
NMeFOSAA	2355-31-9	N-methyl perfluorooctanesulfonamidoacetic acid
PFBS	375-73-5	Perfluorobutanesulfonic Acid
PFDA	335-76-2	Perfluorodecanoic acid
PFDoA	307-55-1	Perfluorododecanoic acid
PFHpA	375-85-9	Perfluoroheptanoic acid
PFHxA	307-24-4	Perfluorohexanoic acid
PFHxS	355-46-4	Perfluorohexanesulfonic Acid
PFNA	375-95-1	Perfluorononanoic acid
PFOA	335-67-1	Perfluorooctanoic acid
PFOS	1763-23-1	Perfluorooctanesulfonic Acid
PFTreA	376-06-7	Perfluorotetradecanoic acid
PFTriA	72629-94-8	Perfluorotridecanoic acid
PFuNA	2058-94-8	Perfluoroundecanoic acid

SURROGATE

<u>PARAMETER</u>	<u>CASNO</u>	<u>FULL_NAME</u>
13C2-PFDA	13CPFDA	13C2-PerFluorodecanoic Acid
13C2-PFHxA	13CPFHXA	13C2-Perfluoro-n-hexanoic Acid
13C3-HFPO-DA		13C3-HFPO-DA
d5-NEtFOSAA	1265205-97-7	d5-N-ethyl-perfluoro-1-octanesulfonamidoacetic



Results of AF_FRB

Client Sample ID: **AF_FRB**
Client Project ID: **City of Minot**
Lab Sample ID: 32101257001-A
Lab Project ID: 32101257

Collection Date: 06/15/2021 11:26
Received Date: 06/16/2021 10:49
Matrix: Drinking Water

Results by EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>DL</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
NEtFOSAA	ND	U	0.839	2.03	ng/L	1	06/23/2021 18:26
NMeFOSAA	ND	U	0.861	4.07	ng/L	1	06/23/2021 18:26
PFBS	ND	U	0.562	2.03	ng/L	1	06/23/2021 18:26
PFDA	ND	U	0.965	2.03	ng/L	1	06/23/2021 18:26
PFDaA	ND	U	1.14	2.03	ng/L	1	06/23/2021 18:26
PFHpA	ND	U	0.788	2.03	ng/L	1	06/23/2021 18:26
PFHxA	ND	U	0.720	2.03	ng/L	1	06/23/2021 18:26
PFHxS	ND	U	0.475	2.03	ng/L	1	06/23/2021 18:26
PFNA	ND	U	0.805	2.03	ng/L	1	06/23/2021 18:26
PFOA	ND	U	0.586	2.03	ng/L	1	06/23/2021 18:26
PFOS	ND	U	0.578	2.03	ng/L	1	06/23/2021 18:26
PFTreA	ND	U	0.386	2.03	ng/L	1	06/23/2021 18:26
PFTriA	ND	U	0.410	2.03	ng/L	1	06/23/2021 18:26
PFuNA	ND	U	0.421	2.03	ng/L	1	06/23/2021 18:26
NaDONA	ND	U	0.556	2.03	ng/L	1	06/23/2021 18:26
9Cl-PF3ONS	ND	U	0.678	2.03	ng/L	1	06/23/2021 18:26
11Cl-PF3OUdS	ND	U	0.691	2.03	ng/L	1	06/23/2021 18:26
HFPO-DA (GenX)	ND	U	1.76	4.07	ng/L	1	06/23/2021 18:26
Surrogates							
13C2-PFDA	96.8			70.0-130	%	1	06/23/2021 18:26
13C2-PFHxA	100			70.0-130	%	1	06/23/2021 18:26
d5-NEtFOSAA	92.3			70.0-130	%	1	06/23/2021 18:26
13C3-HFPO-DA	96.9			70.0-130	%	1	06/23/2021 18:26

Batch Information

Analytical Batch: **XLC1726**
Analytical Method: **EPA 537.1**
Instrument: **TQS2**
Analyst: **FNS**
Analytical Date/Time: **06/23/2021 18:26**

Prep Batch: **HXX2760**
Prep Method: **EPA 537.1 Prep**
Prep Date/Time: **06/22/2021 15:40**
Prep Initial Wt./Vol.: **246 mL**
Prep Extract Vol: **1 mL**

Results of AF

Client Sample ID: **AF**
 Client Project ID: **City of Minot**
 Lab Sample ID: 32101257002-A
 Lab Project ID: 32101257

Collection Date: 06/15/2021 11:24
 Received Date: 06/16/2021 10:49
 Matrix: Drinking Water

Results by EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>DL</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
NEtFOSAA	ND	U	0.850	2.06	ng/L	1	06/23/2021 18:46
NMeFOSAA	ND	U	0.871	4.12	ng/L	1	06/23/2021 18:46
PFBS	0.840	J	0.569	2.06	ng/L	1	06/23/2021 18:46
PFDA	ND	U	0.977	2.06	ng/L	1	06/23/2021 18:46
PFDoA	ND	U	1.15	2.06	ng/L	1	06/23/2021 18:46
PFHpA	ND	U	0.797	2.06	ng/L	1	06/23/2021 18:46
PFHxA	1.82	J	0.728	2.06	ng/L	1	06/23/2021 18:46
PFHxS	1.66	J	0.480	2.06	ng/L	1	06/23/2021 18:46
PFNA	ND	U	0.815	2.06	ng/L	1	06/23/2021 18:46
PFOA	ND	U	0.594	2.06	ng/L	1	06/23/2021 18:46
PFOS	ND	U	0.585	2.06	ng/L	1	06/23/2021 18:46
PFTreA	ND	U	0.391	2.06	ng/L	1	06/23/2021 18:46
PFTriA	ND	U	0.415	2.06	ng/L	1	06/23/2021 18:46
PFuNA	ND	U	0.426	2.06	ng/L	1	06/23/2021 18:46
NaDONA	ND	U	0.563	2.06	ng/L	1	06/23/2021 18:46
9Cl-PF3ONS	ND	U	0.686	2.06	ng/L	1	06/23/2021 18:46
11Cl-PF3OUdS	ND	U	0.700	2.06	ng/L	1	06/23/2021 18:46
HFPO-DA (GenX)	ND	U	1.78	4.12	ng/L	1	06/23/2021 18:46
Surrogates							
13C2-PFDA	93.0			70.0-130	%	1	06/23/2021 18:46
13C2-PFHxA	89.2			70.0-130	%	1	06/23/2021 18:46
d5-NEtFOSAA	91.8			70.0-130	%	1	06/23/2021 18:46
13C3-HFPO-DA	93.1			70.0-130	%	1	06/23/2021 18:46

Batch Information

Analytical Batch: **XLC1726**
 Analytical Method: **EPA 537.1**
 Instrument: **TQS2**
 Analyst: **FNS**
 Analytical Date/Time: **06/23/2021 18:46**

Prep Batch: **HXX2760**
 Prep Method: **EPA 537.1 Prep**
 Prep Date/Time: **06/22/2021 15:40**
 Prep Initial Wt./Vol.: **243 mL**
 Prep Extract Vol: **1 mL**



Results of City_FRB

Client Sample ID: **City_FRB**
 Client Project ID: **City of Minot**
 Lab Sample ID: 32101257003-A
 Lab Project ID: 32101257

Collection Date: 06/15/2021 11:48
 Received Date: 06/16/2021 10:49
 Matrix: Drinking Water

Results by EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>DL</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
NEtFOSAA	ND	U	0.833	2.02	ng/L	1	06/23/2021 19:06
NMeFOSAA	ND	U	0.854	4.03	ng/L	1	06/23/2021 19:06
PFBS	ND	U	0.557	2.02	ng/L	1	06/23/2021 19:06
PFDA	ND	U	0.958	2.02	ng/L	1	06/23/2021 19:06
PFDoA	ND	U	1.13	2.02	ng/L	1	06/23/2021 19:06
PFHpA	ND	U	0.781	2.02	ng/L	1	06/23/2021 19:06
PFHxA	ND	U	0.714	2.02	ng/L	1	06/23/2021 19:06
PFHxS	ND	U	0.471	2.02	ng/L	1	06/23/2021 19:06
PFNA	ND	U	0.798	2.02	ng/L	1	06/23/2021 19:06
PFOA	ND	U	0.582	2.02	ng/L	1	06/23/2021 19:06
PFOS	ND	U	0.574	2.02	ng/L	1	06/23/2021 19:06
PFTreA	ND	U	0.383	2.02	ng/L	1	06/23/2021 19:06
PFTriA	ND	U	0.406	2.02	ng/L	1	06/23/2021 19:06
PFuNA	ND	U	0.417	2.02	ng/L	1	06/23/2021 19:06
NaDONA	ND	U	0.551	2.02	ng/L	1	06/23/2021 19:06
9Cl-PF3ONS	ND	U	0.672	2.02	ng/L	1	06/23/2021 19:06
11Cl-PF3OUdS	ND	U	0.685	2.02	ng/L	1	06/23/2021 19:06
HFPO-DA (GenX)	ND	U	1.74	4.03	ng/L	1	06/23/2021 19:06
Surrogates							
13C2-PFDA	90.5			70.0-130	%	1	06/23/2021 19:06
13C2-PFHxA	92.2			70.0-130	%	1	06/23/2021 19:06
d5-NEtFOSAA	87.0			70.0-130	%	1	06/23/2021 19:06
13C3-HFPO-DA	91.2			70.0-130	%	1	06/23/2021 19:06

Batch Information

Analytical Batch: **XLC1726**
 Analytical Method: **EPA 537.1**
 Instrument: **TQS2**
 Analyst: **FNS**
 Analytical Date/Time: **06/23/2021 19:06**

Prep Batch: **HXX2760**
 Prep Method: **EPA 537.1 Prep**
 Prep Date/Time: **06/22/2021 15:40**
 Prep Initial Wt./Vol.: **248 mL**
 Prep Extract Vol: **1 mL**

Results of City

Client Sample ID: **City**
 Client Project ID: **City of Minot**
 Lab Sample ID: 32101257004-A
 Lab Project ID: 32101257

Collection Date: 06/15/2021 11:45
 Received Date: 06/16/2021 10:49
 Matrix: Drinking Water

Results by EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>DL</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
NEtFOSAA	ND	U	0.890	2.16	ng/L	1	06/23/2021 19:25
NMeFOSAA	ND	U	0.913	4.31	ng/L	1	06/23/2021 19:25
PFBS	ND	U	0.596	2.16	ng/L	1	06/23/2021 19:25
PFDA	ND	U	1.02	2.16	ng/L	1	06/23/2021 19:25
PFDoA	ND	U	1.21	2.16	ng/L	1	06/23/2021 19:25
PFHpA	ND	U	0.835	2.16	ng/L	1	06/23/2021 19:25
PFHxA	1.37	J	0.763	2.16	ng/L	1	06/23/2021 19:25
PFHxS	1.24	J	0.503	2.16	ng/L	1	06/23/2021 19:25
PFNA	ND	U	0.853	2.16	ng/L	1	06/23/2021 19:25
PFOA	ND	U	0.622	2.16	ng/L	1	06/23/2021 19:25
PFOS	ND	U	0.613	2.16	ng/L	1	06/23/2021 19:25
PFTreA	ND	U	0.409	2.16	ng/L	1	06/23/2021 19:25
PFTriA	ND	U	0.434	2.16	ng/L	1	06/23/2021 19:25
PFuNA	ND	U	0.446	2.16	ng/L	1	06/23/2021 19:25
NaDONA	ND	U	0.589	2.16	ng/L	1	06/23/2021 19:25
9Cl-PF3ONS	ND	U	0.719	2.16	ng/L	1	06/23/2021 19:25
11Cl-PF3OUdS	ND	U	0.733	2.16	ng/L	1	06/23/2021 19:25
HFPO-DA (GenX)	ND	U	1.86	4.31	ng/L	1	06/23/2021 19:25
Surrogates							
13C2-PFDA	94.2			70.0-130	%	1	06/23/2021 19:25
13C2-PFHxA	90.1			70.0-130	%	1	06/23/2021 19:25
d5-NEtFOSAA	93.3			70.0-130	%	1	06/23/2021 19:25
13C3-HFPO-DA	94.0			70.0-130	%	1	06/23/2021 19:25

Batch Information

Analytical Batch: **XLC1726**
 Analytical Method: **EPA 537.1**
 Instrument: **TQS2**
 Analyst: **FNS**
 Analytical Date/Time: **06/23/2021 19:25**

Prep Batch: **HXX2760**
 Prep Method: **EPA 537.1 Prep**
 Prep Date/Time: **06/22/2021 15:40**
 Prep Initial Wt./Vol.: **232 mL**
 Prep Extract Vol: **1 mL**

Batch Summary

Analytical Method: EPA 537.1

Prep Method: EPA 537.1 Prep

Prep Batch: HXX2760

Prep Date: 06/22/2021 15:40

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Analysis Date</u>	<u>Analytical Batch</u>	<u>Instrument</u>	<u>Analyst</u>
MB for HBN 155439 [HXX/2760]	246319	06/23/2021 16:46	XLC1726	TQS2	FNS
LCS1 for HBN 155439 [HXX/2760]	246320	06/23/2021 17:06	XLC1726	TQS2	FNS
Batch (246198MS1)	246321	06/23/2021 17:46	XLC1726	TQS2	FNS
Batch (246295DUP)	246322	06/23/2021 21:44	XLC1726	TQS2	FNS
AF_FRB	32101257001	06/23/2021 18:26	XLC1726	TQS2	FNS
AF	32101257002	06/23/2021 18:46	XLC1726	TQS2	FNS
City_FRB	32101257003	06/23/2021 19:06	XLC1726	TQS2	FNS
City	32101257004	06/23/2021 19:25	XLC1726	TQS2	FNS

Method Blank

Blank ID: MB for HBN 155439 [HXX/2760]

Matrix: Water

Blank Lab ID: 246319

QC for Samples:

32101257001, 32101257002, 32101257003, 32101257004

Results by EPA 537.1

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>DL</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>
NEtFOSAA	ND	U	0.826	2.00	ng/L	1
NMeFOSAA	ND	U	0.847	4.00	ng/L	1
PFBS	ND	U	0.553	2.00	ng/L	1
PFDA	ND	U	0.950	2.00	ng/L	1
PFDoA	ND	U	1.12	2.00	ng/L	1
PFHpA	ND	U	0.775	2.00	ng/L	1
PFHxA	ND	U	0.708	2.00	ng/L	1
PFHxS	ND	U	0.467	2.00	ng/L	1
PFNA	ND	U	0.792	2.00	ng/L	1
PFOA	ND	U	0.577	2.00	ng/L	1
PFOS	ND	U	0.569	2.00	ng/L	1
PFTreA	ND	U	0.380	2.00	ng/L	1
PFTriA	ND	U	0.403	2.00	ng/L	1
PFuNA	ND	U	0.414	2.00	ng/L	1
NaDONA	ND	U	0.547	2.00	ng/L	1
9Cl-PF3ONS	ND	U	0.667	2.00	ng/L	1
11Cl-PF3OUdS	ND	U	0.680	2.00	ng/L	1
HFPO-DA (GenX)	ND	U	1.73	4.00	ng/L	1

Surrogates

13C2-PFDA	83.0			70.0-130	%	1
13C2-PFHxA	82.3			70.0-130	%	1
d5-NEtFOSAA	79.8			70.0-130	%	1
13C3-HFPO-DA	79.7			70.0-130	%	1

Batch Information

Analytical Batch: **XLC1726**

Analytical Method: **EPA 537.1**

Instrument: **TQS2**

Analyst: **FNS**

Analytical Date/Time: **06/23/2021 16:46**

Dilution: **1**

Prep Batch: **HXX2760**

Prep Method: **EPA 537.1 Prep**

Prep Date/Time: **06/22/2021 15:40**

Prep Initial Wt./Vol.: **250 mL**

Prep Extract Vol: **1 mL**

QC CheckCode: TQS2-210623A004.d

Blank Spike Summary

Blank Spike ID: LCS1 for HBN 155439 [HXX/2760]
 Blank Spike Lab ID: 246320
 Date Analyzed: 06/23/2021 17:06
 Matrix: Water
 QC for Samples: 32101257001, 32101257002, 32101257003, 32101257004

Results by EPA 537.1

Blank Spike (ng/L)

Parameter	Spike	Result	Rec (%)	CL
NEtFOSAA	2.00	1.78	88.8	50.0-150
NMeFOSAA	2.00	1.74	87.2	50.0-150
PFBS	1.80	1.73	96.4	50.0-150
PFDA	2.00	1.79	89.7	50.0-150
PFDoA	2.00	1.75	87.4	50.0-150
PFHpA	2.00	1.80	89.8	50.0-150
PFHxA	2.00	1.94	96.8	50.0-150
PFHxS	1.92	1.86	96.9	50.0-150
PFNA	2.00	1.80	90.2	50.0-150
PFOA	2.00	1.94	96.9	50.0-150
PFOS	1.92	1.88	98	50.0-150
PFTreA	2.00	1.98	99	50.0-150
PFTriA	2.00	1.99	99.5	50.0-150
PFuNA	2.00	1.88	94.2	50.0-150
NaDONA	2.00	1.65	82.5	50.0-150
9Cl-PF3ONS	1.88	1.91	102	50.0-150
11Cl-PF3OUdS	1.88	1.73	92	50.0-150
HFPO-DA (GenX)	2.00	1.81	90.6	50.0-150

Surrogates

13C2-PFDA			90.5	70.0-130
13C2-PFHxA			89.5	70.0-130
d5-NEtFOSAA			88.6	70.0-130
13C3-HFPO-DA			87.1	70.0-130

Batch Information

Analytical Batch: XLC1726	Prep Batch: HXX2760
Analytical Method: EPA 537.1	Prep Method: EPA 537.1 Prep
Instrument: TQS2	Prep Date/Time: 06/22/2021 15:40
Analyst: FNS	Spike Init Wt./Vol.: 250 mL Extract Vol: 1 mL
	Dupe Init Wt./Vol.: Extract Vol:



CHAIN OF CUSTODY | TRACE & SHALE

32101257

SPECIAL INSTRUCTIONS / COMMENTS:

PROJECT INFO:

PROJECT:

PO. #:

QUOTE #:

SITE REF:

TURN AROUND TIME:

REPORT LEVEL: (see reverse) Level I Level II Level IV

SPECIAL DELIVERABLES: State of Origin:

EDD:

DoD:

Other:

SEND DOCUMENTATION / RESULTS TO:

COMPANY: *City of Minot*
 CONTACT: *Mark Paddock*
 ADDRESS: *PO Box 5006*
 PHONE: *Minot ND 58702*
 EMAIL:

INVOICE TO: CHECK IF SAME)

COMPANY: CONTACT:
 ADDRESS:
 PHONE:
 EMAIL: *Mark.paddock@minotnd.org*

PRESERVATIVE										REMARKS
ANALYSIS & METHOD										

LAB ID	SAMPLE ID / DESCRIPTION	DATE	TIME	QC			TYPE (C, G)	MATRIX	CONT. QTY
				MS	MSD	DUP			
	<i>AF-FRB 1 of 2</i>	<i>6/15</i>	<i>11:26</i>						
	<i>AF-FRB 2 of 2</i>	<i>6/15</i>	<i>11:26</i>						
	<i>AF- 1 of 2</i>	<i>6/15</i>	<i>11:24</i>						
	<i>AF- 2 of 2</i>	<i>6/15</i>	<i>11:24</i>						
	<i>City-FRB 1 of 2</i>	<i>6/15</i>	<i>11:48</i>						
	<i>City-FRB 2 of 2</i>	<i>6/15</i>	<i>11:48</i>						
	<i>City- 1 of 2</i>	<i>6/15</i>	<i>11:45</i>						
	<i>City- 2 of 2</i>	<i>6/15</i>	<i>11:45</i>						

COLLECTED/RELINQUISHED BY (1): <i>Mark Paddock</i>	DATE: <i>6/15/21</i>	TIME:	RECEIVED BY:	RECEIVED BY LABORATORY: <i>Ashley ONCIU</i>	DATE: <i>6/16/21</i>	TIME: <i>10:49</i>
	RELINQUISHED BY (2):	DATE:	TIME:	RECEIVED BY:	COC SEAL: <input checked="" type="checkbox"/> INTACT <input type="checkbox"/> BROKEN <input type="checkbox"/> ABSENT	SAMPLE RECEIPT TEMP: °C <i>0.9°</i>
	CARRIER: <i>FedEx</i>			TRACKING #:		
NOTES: <i>2804 1477 3954</i>						

White - Retained by Lab
 Yellow - Retained by Client

SGS North America Inc.

Sample Receipt Checklist (SRC)

Client: City of Minot

Work Order No.: 32101257

- 1. Shipped
 Hand Delivered
- 2. COC Present on Receipt
 No COC
 Additional Transmittal Forms
- 3. Custody Tape on Container
 No Custody Tape
- 4. Samples Intact
 Samples Broken / Leaking
- 5. Chilled on Receipt Actual Temp.(s) in °C: 0.9 Thermometer ID#: IR4-Probe
 Ambient on Receipt
 Walk-in on Ice; Coming down to temp.
 Temperature Blank Present
 WV samples-proxy not allowed
- 6. Sufficient Sample Submitted
 Insufficient Sample Submitted
- 7. Chlorine absent
 HNO3 < 2
 HCL < 2
 Additional Preservatives verified (see notes) Trizma
- 8. Received Within Holding Time
 Not Received Within Holding Time
- 9. No Discrepancies Noted
 Discrepancies Noted
 NCDENR notified of Discrepancies*
- 10. No Headspace present in VOC vials
 Headspace present in VOC vials >6mm N/A

Comments: _____

* = Sample bottles prepped by SGS-ILM. Trizma present.

Inspected and Logged in by: AMO
Date: 6/16/2021

ORIGIN ID:MOTA (701) 857-4761
MARK PADDOCK
MINOT WATER TREATMENT PLANT
900 16TH ST SW

MINOT, ND 58701
UNITED STATES US

SHIP DATE: 15 JUN 21
ACTWGT: 38.65 LB
CAD: 6986894/SSFE2202
DIMS: 17x14x13 IN

BILL CREDIT CARD

Part # 156297-435-RRRQWSEXP 04/22

TO **LAB**
SGS NORTH AMERICA
5500 BUSINESS DR


6/16/2021
10:49
09°
(T.B.)

WILMINGTON NC 28405

(910) 350-1903

REF:

DEPT:



FedEx
Express



AN 10133014261127

TB
6/17/21

TRK# 2804 1477 3954
0201

WED - 16 JUN 10:30A
PRIORITY OVERNIGHT

XH ILMA

28405
NC-US RDU

